ELSEVIER

Powder Technology 80 (1994) 281

POWDER TECHNOLOGY

Author Index of Volume 80

Agrawal, R., 17
Akiyama, T., 11
Al-tajam, M., 25
Al-zahrani, A.A., 25
Arnold, D.W., 165
Austin, L.G., 147

Bargieł, M., 133
Beeckmans, J.M., 17
Bergougnou, M.A., 243
Botterill, J.S.M., 221
Bridgwater, J., 207, 221
Briens, C.L., 243
Broadbent, C.J., 221
Bruque, J.M., 127

Cai, P., 99
Cen, K., 1
Clark, N.N., 83
Cleaver, J.A.S., 175

Delebarre, A.B., 227
De Michele, G., 99

Fan, J., 1
Furuuchi, M., 159

Garncarek, Z., 221
Gauthier, C., 73
Gauthier, T.A., 243
Ghadiri, M., 175
González-Martín, M.L., 127
Gotoh, K., 159
Gotsis, C., 235
Grace, J.R., 29
Grazzini, G.C., 99
Grosbras, M., 111

Hemati, M., 45, 55
Herbert, P.M., 243
Honeycutt, R.L., 133
Hua, Q., 1
Hussein, G.A.M., 265
Huvier, C., 111

Jacquet, C., 73
Jańczuk, B., 127

Kalligeris-Skentzos, A., 147
Karamavruc, A.I., 83

Klinzing, G.E., 179
Kusters, K.A., 253

Laguerie, C., 45, 55
Leroy, J.C., 227
Lin, C.-I., 119
Löffler, F., 191

Manbeck, H.B., 35
Matchett, A.J., 271
McKain, D.L., 83
Medek, J., 183
Messing, G.L., 35
Miccio, M., 99
Moreno del Pozo, J., 127
Mori, S., 159
Mourad, M., 45

Neil, A.U., 207
Nishiyama, R., 11

Pavinato, A., 227
Pratsinis, S.E., 253
Przybylski, L., 221

Puri, V.M., 35

Sadowski, Z., 93
Schiavetti, M., 99
Schweers, E., 191
Smith, D.M., 253
Stalidis, G.A., 235
Sun, G., 29

Tannous, K., 55
Thoma, S.G., 253
Thomas, G., 73
Tory, E.M., 133
Tripodi, M.A., 35
Tsai, W.-R., 119
Tuponogov, V.G., 175

Villareal, J.A., 179

Weishauptová, Z., 183
Werther, J., 175
Woodburn, E.T., 147

Yelamanchili, P., 165

Zhou, D., 1

Elsevier Science S.A.

ELSEVIER

Powder Technology 80 (1994) 283–285

POWDER TECHNOLOGY

Subject Index of Volume 80

Active zones in grinding
batch grinding kinetics in the presence of two active zones, 235
Adsorption
the surface free energy of fluorite in presence of sodium dodecyl sulfate, 127
Ammonium ferric citrate
physicochemical investigation of the decomposition products of ammonium metal carboxylates: ammonium ferric citrate hydrate, 265
Ammonium metal carbonates
physicochemical investigation of the decomposition products of ammonium metal carboxylates: ammonium ferric citrate hydrate, 265
Attrition
attrition of FCC powder in the jetting region of a fluidized bed, 175
attrition of particulate solids under shear, 207

Ball mill
production of stable high solids coal–water fuel in a tumbling wet ball mill, 165
Batch grinding
batch grinding kinetics in the presence of two active zones, 235
Breakage
attrition of particulate solids under shear, 207
Bubble size
quantitative estimation of bubble size in PFBC, 99

Cam-clay model
triaxial testing of dry, cohesive powder and its application to a modified Cam-clay constitutive model, 35
Ceramic powders
energy–size reduction laws for ultrasonic fragmentation, 253
Characterization
geometric characterization of porous textures in sintered glass bead packing through image analysis, mercury porosimetry and gravimetry, 73
physicochemical investigation of the decomposition products of ammonium metal carboxylates: ammonium ferric citrate hydrate, 265
Coal
a reciprocating cell for the measurement of comminution kinetics, 271
Coal–water fuel
production of stable high solids coal–water fuel in a tumbling wet ball mill, 165
Combustors
quantitative estimation of bubble size in PFBC, 99
Comminution
a reciprocating cell for the measurement of comminution kinetics, 271
Compaction
geometric characterization of porous textures in sintered glass bead packing through image analysis, mercury porosimetry and gravimetry, 73
laser-driven shock effects on copper alloy powder green compacts, 111
Corn
hydrodynamic behaviour of a fluidized bed dryer: Determination of the fluidization velocities of corn and sand mixtures, 45

Decomposition
physicochemical investigation of the decomposition products of ammonium metal carboxylates: ammonium ferric citrate hydrate, 265
Degree of mixing
on the mixing of granular materials in a screw feeder, 119
Dispersant
production of stable high solids coal–water fuel in a tumbling wet ball mill, 165
Dispersion
a study on hydrophobic aggregation of calcite aqueous suspensions, 93
Downflow
application of fiber optic reflection probes to the measurement of local particle velocity and concentration in gas–solid flow, 243
Dry cohesive powder
triaxial testing of dry, cohesive powder and its application to a modified Cam-clay constitutive model, 35

Electrical resistance
determination of resistivity of solids in powdered form, 183
Electrophoretic force
sediment structure of fine silica spheres in an electrolyte solution, 159
Erosion
numerical computation of particle-laden gas flows past staggered tube banks undergoing erosion, 1

FCC catalysts
experimental determination of particle dispersion in voids in a fluidized bed, 29
Fiber optic probe
application of fiber optic reflection probes to the measurement of local particle velocity and concentration in gas–solid flow, 243
Fibrous filters
realistic modelling of the behaviour of fibrous filters through consideration of filter structure, 191
Filter behaviour model
realistic modelling of the behaviour of fibrous filters through consideration of filter structure, 191

Elsevier Science S.A.

Filtration
realistic modelling of the behaviour of fibrous filters through consideration of filter structure, 191
Flotation
hydrodynamic behaviour of a fluidized bed dryer: Determination of the fluidization velocities of corn and sand mixtures, 45
Flotsam/jetsam particles
studies on transport processes in a segregating fluidised bed, 17
Flow measurement
application of fiber optic reflection probes to the measurement of local particle velocity and concentration in gas–solid flow, 243
Fluidization
fluidization and mixing of solids distributed in size and density, 227
application of fiber optic reflection probes to the measurement of local particle velocity and concentration in gas–solid flow, 243
Fluidization behavior
studies on transport processes in a segregating fluidised bed, 17
Fluidized bed dryer
hydrodynamic behaviour of a fluidized bed dryer: Determination of the fluidization velocities of corn and sand mixtures, 45
Fluidized beds
studies on transport processes in a segregating fluidised bed, 17
measurement of heat transfer coefficient for liquid–solid fluidized beds, 25
experimental determination of particle dispersion in voids in a fluidized bed, 29
hydrodynamic behaviour at incipient fluidization and expansion of fluidized beds of large particles of category D of Geldart's classification, 55
deduction of fluidized bed heat transfer coefficients using one- and two-dimensional analyses, 83
quantitative estimation of bubble size in PFBC, 99
attrition of FCC powder in the jetting region of a fluidized bed, 175
a measure of the degree of inhomogeneity in a distribution and its application in characterising the particle circulation in a fluidized bed, 221
Fluorite
the surface free energy of fluorite in presence of sodium dodecyl sulfate, 127

Gas flow
numerical computation of particle-laden gas flows past staggered tube banks undergoing erosion, 1
Gas velocity
hydrodynamic behaviour at incipient fluidization and expansion of fluidized beds of large particles of category D of Geldart's classification, 55
Geldart
hydrodynamic behaviour at incipient fluidization and expansion of fluidized beds of large particles of category D of Geldart's classification, 55
Granular materials
on the mixing of granular materials in a screw feeder, 119
Grinding energy
energy–size reduction laws for ultrasonic fragmentation, 253

Heat transfer
measurement of heat transfer coefficient for liquid–solid fluidized beds, 25
deduction of fluidized bed heat transfer coefficients using one- and two-dimensional analyses, 83
High pressure systems
pickup velocities under higher pressure conditions, 179
Hydrodynamics
hydrodynamic behaviour of a fluidized bed dryer: Determination of the fluidization velocities of corn and sand mixtures, 45

Image analysis
geometric characterization of porous textures in sintered glass bead packing through image analysis, mercury porosimetry and gravimetry, 73
laser-driven shock effects on copper alloy powder green compacts, 111
Inhomogeneities
realistic modelling of the behaviour of fibrous filters through consideration of filter structure, 191
Inhomogeneity index
a measure of the degree of inhomogeneity in a distribution and its application in characterising the particle circulation in a fluidized bed, 221
Interparticle forces
a study on hydrophobic aggregation of calcite aqueous suspensions, 93

Jets
attrition of FCC powder in the jetting region of a fluidized bed, 175

Laser shock
laser-driven shock effects on copper alloy powder green compacts, 111

Markov model
a three-parameter Markov model for sedimentation. III. A stochastic Runge–Kutta method for computing first-passage times, 133
Mathematical model
ash liberation in fine grinding of a British coal, 147
Measurement
measurement of heat transfer coefficient for liquid–solid fluidized beds, 25
Microhardness
laser-driven shock effects on copper alloy powder green compacts, 111
Mineral liberation
ash liberation in fine grinding of a British coal, 147
Mixing
a measure of the degree of inhomogeneity in a distribution and its application in characterising the particle circulation in a fluidized bed, 221
Mixing model
solids mixing in vibrating particle beds: Effect of a tube submerged in the bed, 11
Mixing of solids
fluidization and mixing of solids distributed in size and density, 227

Packing
geometric characterization of porous textures in sintered glass bead packing through image analysis, mercury porosimetry and gravimetry, 73

Particle dispersion
experimental determination of particle dispersion in voids in a fluidized bed, 29
Particle tracking
a measure of the degree of inhomogeneity in a distribution and its application in characterising the particle circulation in a fluidized bed, 221
Particulate system
determination of resistivity of solids in powdered form, 183
Pickup velocity
pickup velocities under higher pressure conditions, 179
Pneumatic transport
pickup velocities under higher pressure conditions, 179
Porosimetry
geometric characterization of porous textures in sintered glass bead packing through image analysis, mercury porosimetry and gravimetry, 73

Reciprocating cell
a reciprocating cell for the measurement of comminution kinetics, 271
Resistivity
determination of resistivity of solids in powdered form, 183
Rod mill
a reciprocating cell for the measurement of comminution kinetics, 271
Runge–Kutta method
a three-parameter Markov model for sedimentation. III. A stochastic Runge–Kutta method for computing first-passage times, 133

Sand
hydrodynamic behaviour of a fluidized bed dryer: Determination of the fluidization velocities of corn and sand mixtures, 45
Scale-up
ash liberation in fine grinding of a British coal, 147
Screw feeder
on the mixing of granular materials in a screw feeder, 119
Sedimentation
a study on hydrophobic aggregation of calcite aqueous suspensions, 93
a three-parameter Markov model for sedimentation. III. A stochastic Runge–Kutta method for computing first-passage times, 133
sediment structure of fine silica spheres in an electrolyte solution, 159
Segregation
studies on transport processes in a segregating fluidised bed, 17
Silica
sediment structure of fine silica spheres in an electrolyte solution, 159
Size distribution
geometric characterization of porous textures in sintered glass bead packing through image analysis, mercury porosimetry and gravimetry, 73
Slurry
production of stable high solids coal–water fuel in a tumbling wet ball mill, 165
Sodium dodecyl sulfate
the surface free energy of fluorite in presence of sodium dodecyl sulfate, 127
Solids mixing
solids mixing in vibrating particle beds: effect of a tube submerged in the bed, 11
Stability
a study on hydrophobic aggregation of calcite aqueous suspensions, 93
Strength
attrition of particulate solids under shear, 207
Surface free energy
the surface free energy of fluorite in presence of sodium dodecyl sulfate, 127

Topsize breakage
batch grinding kinetics in the presence of two active zones, 235
Triaxial testing
triaxial testing of dry, cohesive powder and its application to a modified Cam-clay constitutive model, 35
Tube banks
numerical computation of particle-laden gas flows past staggered tube banks undergoing erosion, 1
Turbulence
numerical computation of particle-laden gas flows past staggered tube banks undergoing erosion, 1
Two-dimensional analysis
deduction of fluidized bed heat transfer coefficients using one- and two-dimensional analyses, 83

Ultrafine grinding
ash liberation in fine grinding of a British coal, 147
Ultrasonic fragmentation
energy–size reduction laws for ultrasonic fragmentation, 253

Vibrating particle bed
solids mixing in vibrating particle beds: Effect of a tube submerged in the bed, 11
Voidage
hydrodynamic behaviour at incipient fluidization and expansion of fluidized beds of large particles of category D of Geldart's classification, 55
Voids
experimental determination of particle dispersion in voids in a fluidized bed, 29

Wheat flour
triaxial testing of dry, cohesive powder and its application to a modified Cam-clay constitutive model, 35